

**CCR COMPLIANCE
GROUNDWATER MONITORING AND CORRECTIVE ACTION
ANNUAL REPORT
BOTTOM ASH PONDS AND ASH DISPOSAL SITE**

Prepared for:



GenOn Power Midwest LP
Cheswick Generating Station
Springdale, Pennsylvania

Prepared by:



Aptim Environmental & Infrastructure, LLC
Pittsburgh, Pennsylvania

January 2021

Table of Contents

List of Tables	iii
List of Figures	iii
Executive Summary	iv
1.0 Introduction	1
2.0 Bottom Ash Ponds	3
2.1 Groundwater Monitoring Network	3
2.2 2020 Data Collection	3
2.3 2020 Monitoring Program Transitions	3
2.4 2020 Corrective Actions	3
2.5 2021 Projected Activities	3
3.0 Ash Disposal Site	4
3.1 Groundwater Monitoring Network	4
3.2 2020 Data Collection	4
3.3 2020 Monitoring Program Transitions	4
3.4 2020 Corrective Actions	4
3.5 2021 Projected Activities	4

Tables

Figures

List of Tables

Table 1	Bottom Ash Ponds Groundwater Analytical Data Summary—Appendix III Constituents
Table 2	Bottom Ash Ponds Groundwater Analytical Data Summary—Appendix IV Constituents
Table 3	Ash Disposal Site Groundwater Analytical Data Summary—Appendix III Constituents
Table 4	Ash Disposal Site Groundwater Analytical Data Summary—Appendix IV Constituents

List of Figures

Figure 1	Bottom Ash Ponds—Location and Groundwater Monitoring System Map
Figure 2	Ash Disposal Site—Location and Groundwater Monitoring System Map

Executive Summary

In response to the newly adopted Part A elements (effective September 28, 2020) of the Coal Combustion Residuals (CCR) Rule (or Rule), this Executive Summary has been incorporated into the annual report per the specific provisions as codified in 40 CFR §257.90(e)(6). These provisions require that an up-front overview of the current status (covering the immediately preceding calendar year) of groundwater monitoring and corrective action programs be provided in a concise and focused manner for each CCR unit at the facility. Accordingly, the following paragraphs document the respective groundwater monitoring status (for Calendar Year 2020) of the Bottom Ash Ponds and the Ash Disposal Site at the Cheswick Generating Station, operated by GenOn Power Midwest LP. Tables and/or figures referenced in the discussions below are included at the end of the report, and further support the text (Sections 2.0 and 3.0) in the main body of the report.

The Bottom Ash Ponds (Ponds) represent a collective CCR unit, and are comprised of the Recycle Pond and the Emergency Pond (see Figure 1). Also as shown on Figure 1, the associated CCR groundwater monitoring network is comprised of four wells, including one upgradient location (Well MW-8) and three downgradient locations (Wells MW-9, MW-10, MW-11). For Calendar Year 2020, the Ponds entered and ended the period in the Assessment Monitoring Program. The Ponds have remained in Assessment Monitoring since being transitioned in April 2018 following confirmed statistically significant increases (SSIs) for CCR Appendix III constituents, including calcium, chloride, and total dissolved solids (TDS) in the downgradient wells (see Table 1). Assessment monitoring events conducted in January, June, and October 2020 (see Table 2) did not reveal any CCR Appendix IV constituents at concentrations representing a statistically significant level (SSL) above the corresponding groundwater protection standards (GWPSs). These events further continued to show several Appendix III constituents at values above background in the downgradient wells, including Well MW-9 (none), Well MW-10 (pH), and Well MW-11 (boron, calcium, chloride, fluoride, TDS, sulfate, and pH). No groundwater findings to date have triggered the Ponds into an Assessment of Corrective Measures.

As shown in Figure 2, the Ash Disposal Site is a captive landfill located several miles from the Cheswick facility proper, and includes a CCR groundwater monitoring network consisting of four wells, including one upgradient location (Well MW-24) and three downgradient locations (Wells MW-21, MW-22, and MW-25). For Calendar Year 2020, the Ash Disposal Site entered and ended the period in the Assessment Monitoring Program. The Ash Disposal Site has remained in Assessment Monitoring since being transitioned in April 2018 following confirmed SSIs for CCR Appendix III constituents, including boron, calcium, fluoride, sulfate, and TDS in the downgradient wells (see Table 3). Assessment monitoring events conducted in January, June, and October 2020 (see Table 4) did not reveal any CCR Appendix IV constituents at concentrations representing an SSL above the corresponding GWPSs. These events further continued to show

several Appendix III constituents at values above background in the downgradient wells, including Well MW-21 (fluoride and pH), Well MW-22 (boron, fluoride, sulfate, and pH), and Well MW-25 (boron, calcium, sulfate, and pH). No groundwater findings to date have triggered the Ash Disposal Site into an Assessment of Corrective Measures.

1.0 Introduction

Title 40 Code of Federal Regulations (CFR) §257.90 mandates that existing Coal Combustion Residuals (CCR) landfills and surface impoundments, also known as CCR units, be subject to groundwater monitoring and corrective action requirements as further detailed in §257.91 through §257.98. These requirements are part of the overall CCR Rule (or Rule) which was published in the Federal Register on April 17, 2015 and which became effective on October 19, 2015. Specific obligations for Owners and Operators of existing CCR units regarding the preparation of “Annual Groundwater Monitoring and Corrective Action Reports (Annual Report)” are outlined in §257.90(e)(1-5). The first of these Annual Reports was completed no later than January 31, 2018, and provided information to address the following aspects for the preceding calendar year:

- Document the status of the groundwater monitoring and corrective action program for the respective CCR units;
- Summarize key actions completed;
- Describe any problems encountered and actions taken to resolve the problems; and
- Offer a projection of key activities for the upcoming year.

At a minimum, the Annual Report must contain the following information to the extent applicable and available, and beginning with the current report, must also address the items contained in §257.90(e)(6) in the form of an Executive Summary:

- A map, aerial image, or diagram showing the CCR unit and all background/upgradient and downgradient monitoring wells, to include the well identification numbers, that are part of the groundwater monitoring program;
- Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken;
- In addition to all the monitoring data obtained under §257.90 through §257.98, a summary including the number of groundwater samples that were collected for analysis for each background/upgradient and downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring programs;
- A narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase over background levels); and
- Any other information required to be included as specified in §257.90 through §257.98.

The Cheswick Generating Station, operated by GenOn Power Midwest LP, a subsidiary of GenOn Holdings, Inc. (GenOn), is a coal-fired power plant located in Springdale, Pennsylvania. The Rule applies to this facility due to the management/disposal of CCR materials that are generated from the combustion of coal. CCR units associated with station operations include the Cheswick Ash Disposal Site and two bottom ash ponds, identified as the “Recycle Pond” and the “Emergency Pond.” Each of these CCR units has a dedicated groundwater monitoring system that was originally installed to comply with Commonwealth of Pennsylvania Residual Waste Regulations, and was subsequently evaluated and modified (as needed) for use under the CCR program. Additionally, in accordance with the provisions of §257.91(d) of the Rule, the groundwater monitoring system for the Bottom Ash Ponds has been designated to provide coverage in the context of a multiunit system encompassing both ponds collectively.

In summary, this fourth Annual Report has been prepared to comply with the requirements of §257.90(e)(1-6), addressing each of the Cheswick Station’s CCR units with respect to the groundwater monitoring and corrective actions undertaken during Calendar Year 2020. This Annual Report and all subsequent reports thereto will be placed in the Station’s operating record per §257.105(h)(1), noticed to the State Director per §257.106(h)(1), and posted to the publicly accessible internet site per §257.107(h)(1).

2.0 Bottom Ash Ponds

2.1 Groundwater Monitoring Network

The CCR groundwater monitoring system for the Bottom Ash Ponds is comprised of four wells, including Well MW-8 (upgradient), and Wells MW-9, MW-10, and MW-11 (downgradient). All four wells communicate with the alluvium, which is the uppermost aquifer. The locations of the wells are shown on the attached Figure 1, along with depiction of the generalized groundwater flow direction in the area of the ponds. Each of these wells was already existing, and no new wells were added nor were any existing wells abandoned/replaced during the 2020 reporting period.

2.2 2020 Data Collection

Following their transition in early-2018, the Bottom Ash Ponds continued in the CCR Assessment Monitoring Program during the 2020 reporting period. Accordingly, samples were collected and analyzed for Appendix III and Appendix IV constituents as required, including the annual evaluation of the full list of Appendix IV parameters. The results from the 2020 sampling events are summarized in Tables 1 and 2, covering Appendix III and Appendix IV, respectively. As shown in Table 2, none of the Appendix IV constituents from the 2020 sampling events were measured at concentrations representing a statistically significant level (SSL) above the corresponding site-specific groundwater protection standards (GWPSs). Detected concentrations of several Appendix IV constituents as well as Appendix III constituents; however, do remain above background, and thus providing the basis for continued Assessment Monitoring into 2021.

2.3 2020 Monitoring Program Transitions

No transitions were effected in 2020, as the Bottom Ash Ponds remained in the Assessment Monitoring Program.

2.4 2020 Corrective Actions

During 2020, there were no problems identified or corrective actions undertaken.

2.5 2021 Projected Activities

It is anticipated that Assessment Monitoring activities will continue for the Bottom Ash Ponds during 2021, with continued review of Appendix IV constituent concentrations and comparison against established groundwater protection standards. It is further anticipated that efforts in support of “closure by removal” will be undertaken for the Bottom Ash Ponds, and when completed, will likely result in changes/termination of the CCR-related groundwater monitoring program.

3.0 Ash Disposal Site

3.1 Groundwater Monitoring Network

The CCR groundwater monitoring system for the Ash Disposal Site is comprised of four wells, including Well MW-24 (upgradient) and Wells MW-21, MW-22 and MW-25 (downgradient). All four wells are screened across the soil/bedrock interface, wherein the uppermost aquifer exists. The locations of the wells are shown on Figure 2, along with depiction of the generalized groundwater flow direction in the area of the disposal site. Each of these wells was already existing, and no new wells were added nor were any existing wells abandoned/replaced during the 2020 reporting period.

3.2 2020 Data Collection

Following its transition in early-2018, the Ash Disposal Site continued in the CCR Assessment Monitoring Program during the 2020 reporting period. Accordingly, samples were collected and analyzed for Appendix III and Appendix IV constituents as required, including the annual evaluation of the full list of Appendix IV parameters. The results from the 2020 sampling events are summarized in Tables 3 and 4, covering Appendix III and Appendix IV, respectively. As shown in Table 4, none of the Appendix IV constituents from the 2020 sampling events were measured at concentrations representing a SSL above the corresponding site-specific GWPSs. Detected concentrations of several Appendix IV constituents as well as Appendix III constituents; however, do remain above background, and thus providing the basis for continued Assessment Monitoring into 2021.

3.3 2020 Monitoring Program Transitions

No transitions were effected in 2020, as the Ash Disposal Site remained in the Assessment Monitoring Program.

3.4 2020 Corrective Actions

During 2020, there were no problems identified or corrective actions undertaken.

3.5 2021 Projected Activities

It is anticipated that Assessment Monitoring activities will continue for the Ash Disposal Site during 2021, with continued review of Appendix IV constituent concentrations and comparison against established groundwater protection standards.

Tables

Table 1 Cheswick Generating Station Bottom Ash Ponds – Groundwater Analytical Data CCR Appendix III Constituents									
Monitoring Well	Date Sampled	Groundwater Elevation (ft. MSL)	Total Boron (mg/L)	Total Calcium (mg/L)	Total Chloride (mg/L)	Total Fluoride (mg/L)	Total Dissolved Solids (mg/L)	Sulfate (mg/L)	pH (S.U.)
			Calculated Background						
			0.45	95.1	175	0.2	701	191	6.19-6.80
MW-8 (Upgradient)	28-Dec-15	769.52	0.25	83.7	138	0.2	536	118	6.49
	28-Jan-16	768.82	0.27	81.0	122	0.2	500	132	6.55
	5-May-16	768.54	0.32	87.8	129	0.2	596	157	6.54
	28-Jul-16	767.89	0.31	69.0	115	0.2	502	110	6.45
	19-Oct-16	768.40	0.27	85.5	149	0.2	604	112	6.42
	30-Jan-17	768.27	0.29	70.9	109	0.2	490	129	6.46
	13-Apr-17	769.07	0.34	78.2	87	0.2	464	145	6.67
	1-Aug-17	769.43	0.37	73.2	78	0.2	486	150	6.34
	5-Oct-17	768.01	0.37	73.4	94	0.1	464	130	6.45
	11-Jul-18	768.93	0.27	61.9	79	0.3	428	112	6.77
	16-Oct-18	768.93	0.28	54.8	74	0.3	406	112	6.70
	8-Apr-19	769.72	0.31	61.5	60	0.3	386	124	6.76
	1-Aug-19	768.79	0.37	57.2	38	0.4	388	128	6.77
	7-Oct-19	769.52	0.20	52.8	17	0.2	218	47	6.87
	23-Jan-20	769.09	0.35	69.5	46	0.3	428	156	6.69
	24-Jun-20	768.53	0.28	53.1	64	0.4	358	111	6.76
	12-Oct-20	767.90	0.26	57.8	68	0.4	358	77	6.80
MW-9 (Downgradient)	28-Dec-15	757.75	0.26	86.7	167	0.1	554	112	6.56
	28-Jan-16	757.12	0.28	91.7	173	0.1	566	104	6.56
	5-May-16	756.96	0.23	91.4	189	0.1	646	103	6.68
	28-Jul-16	757.22	0.28	94.1	194	0.1	668	115	6.57
	19-Oct-16	756.98	0.25	99.8	173	0.1	732	110	6.52
	30-Jan-17	758.17	0.25	84.5	155	< 0.1	596	113	6.45
	13-Apr-17	757.82	0.26	89.4	141	< 0.1	548	107	5.59
	1-Aug-17	758.55	0.25	89.0	159	< 0.1	564	114	6.11
	5-Oct-17	756.95	0.29	113	238	< 0.1	776	150	6.45
	11-Jul-18	757.60	0.25	85.0	159	< 0.1	546	114	6.60
	16-Oct-18	757.70	0.26	74.9	144	0.1	540	117	6.36
	8-Apr-19	758.26	0.28	81.3	136	0.1	500	109	6.67
	1-Aug-19	757.41	0.29	77.0	128	0.1	488	111	6.74
	7-Oct-19	757.28	0.27	81.8	125	< 0.1	472	109	6.68
	23-Jan-20	757.63	0.28	74.9	124	0.1	310	117	6.62
	24-Jun-20	757.46	0.26	68.9	129	0.1	494	115	6.65
	12-Oct-20	757.03	0.31	80.5	136	0.1	530	121	6.61
MW-10 (Downgradient)	28-Dec-15	760.57	0.30	119	280	0.2	822	127	6.83
	28-Jan-16	760.04	0.29	118	263	0.2	766	118	6.98
	5-May-16	759.95	0.28	114	267	0.1	790	110	6.97
	28-Jul-16	760.13	0.28	89.8	198	0.2	656	106	6.78
	19-Oct-16	759.99	0.30	127	246	0.2	862	107	6.67
	30-Jan-17	760.75	0.27	109	239	0.1	722	118	6.85
	13-Apr-17	760.63	0.28	110	228	< 0.1	738	113	6.62
	1-Aug-17	760.89	0.30	114	255	0.1	784	125	6.89
	5-Oct-17	759.82	0.32	109	270	< 0.1	798	136	6.78
	11-Jul-18	758.58	0.28	107	242	0.1	742	126	7.07
	16-Oct-18	760.48	0.32	97.7	237	0.1	744	127	7.09
	8-Apr-19	760.86	0.26	94.8	183	0.2	586	111	7.00
	1-Aug-19	759.49	0.32	93.7	208	0.1	670	119	7.10
	7-Oct-19	760.31	0.33	110	195	0.2	616	122	7.01
	23-Jan-20	760.41	0.27	95.1	186	0.1	616	125	7.00
	24-Jun-20	760.20	0.28	89.6	194	< 0.1	650	143	6.95
	12-Oct-20	759.58	0.33	93.6	172	0.2	658	137	7.06
MW-11 (Downgradient)	28-Dec-15	764.35	0.19	79.3	35	0.5	346	68	7.06
	28-Jan-16	763.77	0.20	144	307	0.3	860	93	6.94
	5-May-16	764.00	0.22	112	209	0.4	694	93	6.88
	28-Jul-16	763.88	0.31	144	340	0.2	1070	144	6.71
	19-Oct-16	763.84	0.27	132	229	0.3	848	107	6.94
	30-Jan-17	764.29	0.18	84.1	106	0.5	450	77	6.95
	13-Apr-17	764.27	0.20	86.9	99	0.4	448	77	7.03
	1-Aug-17	764.23	0.26	98.1	110	0.5	498	80	6.75
	5-Oct-17	763.81	0.28	153	323	< 0.1	1130	162	6.60
	11-Jul-18	764.13	0.23	97.8	117	0.5	544	93	7.06
	16-Oct-18	764.11	0.23	82.7	71	0.6	452	79	6.80
	8-Apr-19	764.53	0.15	69.3	64	0.5	344	76	6.68
	1-Aug-19	763.61	0.21	75.4	61	0.5	356	67	6.99
	7-Oct-19	764.37	0.14	80.0	32	0.7	300	37	6.86
	23-Jan-20	764.17	0.19	78.9	52	0.5	362	79	6.97
	24-Jun-20	763.76	0.23	101	158	0.3	578	119	6.73
	12-Oct-20	763.32	0.47	124	218	0.3	792	192	6.99
PZ-1 (Observation Well)	28-Dec-15	771.51	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	28-Jan-16	769.09	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	5-May-16	767.48	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	28-Jul-16	762.50	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	19-Oct-16	764.01	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	30-Jan-17	771.35	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	13-Apr-17	770.94	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	1-Aug-17	774.22	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	5-Oct-17	772.50	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	11-Jul-18	771.05	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	16-Oct-18	769.83	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	8-Apr-19	770.30	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	1-Aug-19	771.65	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	7-Oct-19	772.70	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	23-Jan-20	770.47	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	24-Jun-20	765.43	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	12-Oct-20	762.47	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Notes:

- Cells with "<" are represented as non-detects. Values shown correspond to the laboratory reporting limit.
 - Background values based on statistical evaluation of initial eight rounds (Dec. 2015 thru Aug. 2017) of groundwater sampling data for Well MW-8.
- N/A = Not applicable. Well only used for the collection of groundwater levels.

Table 2 Cheswick Generating Station Bottom Ash Ponds – Groundwater Analytical Data CCR Appendix IV Constituents																
Monitoring Well	Date Sampled	Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Fluoride (mg/L)	Total Lead (mg/L)	Total Lithium (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Selenium (mg/L)	Total Thallium (mg/L)	Total Radium-226 and 228 (pCi/L)
		Calculated Background														
		0.001	0.001	0.04	0.001	0.002	0.01	0.005	0.2	0.001	0.01	0.0002	0.02	0.018	0.0002	1.39
		Groundwater Protection Standard														
		MCL	MCL	MCL	MCL	MCL	MCL	RSL	MCL	RSL	RSL	MCL	RSL	MCL	MCL	MCL
		0.006	0.01	2	0.004	0.005	0.1	0.006	4.0	0.015	0.04	0.002	0.10	0.05	0.002	5
MW-8 (Upgradient)	28-Dec-15	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.007	< 0.0002	0.62
	28-Jan-16	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	0.01	< 0.0002	< 0.02	0.013	< 0.0002	0.50
	5-May-16	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.016	< 0.0002	0.80
	28-Jul-16	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	0.01	< 0.0002	< 0.02	0.009	< 0.0002	0.43
	19-Oct-16	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	0.01	< 0.0002	< 0.02	0.007	< 0.0002	0.77
	30-Jan-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.013	< 0.0002	0.67
	13-Apr-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.015	< 0.0002	0.40
	1-Aug-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	0.01	< 0.0002	< 0.02	0.013	< 0.0002	0.98
	3-Apr-18	< 0.001	0.002	0.02	< 0.001	< 0.002	< 0.01	< 0.005	0.3	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	1.47
	11-Jul-18	Not Analyzed	< 0.001	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.3	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.008	Not Analyzed	0.11
	16-Oct-18	Not Analyzed	< 0.001	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.3	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.007	Not Analyzed	0.58
	8-Apr-19	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.3	< 0.001	< 0.01	< 0.0002	< 0.02	0.012	< 0.0002	0.61
	1-Aug-19	Not Analyzed	Not Analyzed	0.02	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.4	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.010	Not Analyzed	0.97
	7-Oct-19	Not Analyzed	Not Analyzed	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.004	Not Analyzed	0.13
	23-Jan-20	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.3	< 0.001	0.01	< 0.0002	< 0.02	0.017	< 0.0002	-0.10
	24-Jun-20	Not Analyzed	Not Analyzed	0.02	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.4	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	0.007	Not Analyzed	0.96
	12-Oct-20	Not Analyzed	Not Analyzed	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.4	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	0.003	Not Analyzed	0.98
MW-9 (Downgradient)	28-Dec-15	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.80
	28-Jan-16	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.15
	5-May-16	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.75
	28-Jul-16	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.18
	19-Oct-16	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.43
	30-Jan-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	-0.04
	13-Apr-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	-0.19
	1-Aug-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.31
	3-Apr-18	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	1.33
	11-Jul-18	Not Analyzed	< 0.001	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	-0.30
	16-Oct-18	Not Analyzed	< 0.001	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.98
	8-Apr-19	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	1.08
	1-Aug-19	Not Analyzed	Not Analyzed	0.02	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.55
	7-Oct-19	Not Analyzed	Not Analyzed	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.88
	23-Jan-20	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.39
	24-Jun-20	Not Analyzed	Not Analyzed	0.02	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.46
	12-Oct-20	Not Analyzed	Not Analyzed	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	1.44
MW-10 (Downgradient)	28-Dec-15	< 0.001	< 0.001	0.07	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	-0.04
	28-Jan-16	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.36
	5-May-16	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.53
	28-Jul-16	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.13
	19-Oct-16	< 0.001	< 0.001	0.10	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.64
	30-Jan-17	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	-0.15
	13-Apr-17	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.52
	1-Aug-17	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	1.12
	3-Apr-18	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.13
	11-Jul-18	Not Analyzed	< 0.001	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.86
	16-Oct-18	Not Analyzed	< 0.001	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	1.11
	8-Apr-19	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.95
	1-Aug-19	Not Analyzed	Not Analyzed	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.79
	7-Oct-19	Not Analyzed	Not Analyzed	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.63
	23-Jan-20	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.29
	24-Jun-20	Not Analyzed	Not Analyzed	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.38
	12-Oct-20	Not Analyzed	Not Analyzed	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.08

Table 2 Cheswick Generating Station Bottom Ash Ponds – Groundwater Analytical Data CCR Appendix IV Constituents																
Monitoring Well	Date Sampled	Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Fluoride (mg/L)	Total Lead (mg/L)	Total Lithium (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Selenium (mg/L)	Total Thallium (mg/L)	Total Radium-226 and 228 (pCi/L)
		Calculated Background														
		0.001	0.001	0.04	0.001	0.002	0.01	0.005	0.2	0.001	0.01	0.0002	0.02	0.018	0.0002	1.39
		Groundwater Protection Standard														
		MCL	MCL	MCL	MCL	MCL	MCL	RSL	MCL	RSL	RSL	MCL	RSL	MCL	MCL	MCL
		0.006	0.01	2	0.004	0.005	0.1	0.006	4.0	0.015	0.04	0.002	0.10	0.05	0.002	5
MW-11 (Downgradient)	28-Dec-15	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.5	< 0.001	< 0.01	< 0.0002	< 0.02	0.004	< 0.0002	0.05
	28-Jan-16	< 0.001	< 0.001	0.10	< 0.001	< 0.002	< 0.01	< 0.005	0.3	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.50
	5-May-16	< 0.001	< 0.001	0.08	< 0.001	< 0.002	< 0.01	< 0.005	0.4	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.44
	28-Jul-16	< 0.001	< 0.001	0.12	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	1.24
	19-Oct-16	< 0.001	0.001	0.13	< 0.001	< 0.002	< 0.01	< 0.005	0.3	< 0.001	0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.82
	30-Jan-17	< 0.001	< 0.001	0.07	< 0.001	< 0.002	< 0.01	< 0.005	0.5	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	0.23
	13-Apr-17	< 0.001	< 0.001	0.08	< 0.001	< 0.002	< 0.01	< 0.005	0.4	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.94
	1-Aug-17	< 0.001	< 0.001	0.10	< 0.001	< 0.002	< 0.01	< 0.005	0.5	< 0.001	< 0.01	< 0.0002	< 0.02	0.001	< 0.0002	0.89
	3-Apr-18	< 0.001	< 0.001	0.07	< 0.001	< 0.002	< 0.01	< 0.005	0.9	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.40
	11-Jul-18	Not Analyzed	< 0.001	0.11	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.5	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.001	Not Analyzed	0.53
	16-Oct-18	Not Analyzed	< 0.001	0.10	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.6	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.001	Not Analyzed	1.01
	8-Apr-19	< 0.001	< 0.001	0.08	< 0.001	< 0.002	< 0.01	< 0.005	0.5	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	0.55
	1-Aug-19	Not Analyzed	Not Analyzed	0.08	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.5	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.001	Not Analyzed	1.25
	7-Oct-19	Not Analyzed	Not Analyzed	0.13	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.7	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.003	Not Analyzed	0.45
	23-Jan-20	< 0.001	< 0.001	0.09	< 0.001	< 0.002	< 0.01	< 0.005	0.5	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.44
	24-Jun-20	Not Analyzed	Not Analyzed	0.12	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.3	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.65
	12-Oct-20	Not Analyzed	Not Analyzed	0.13	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.3	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	0.002	Not Analyzed	2.65

Notes:

- Cells with "<" are represented as non-detects. Values shown correspond to the laboratory reporting limit.
- Background values based on statistical evaluation of initial eight rounds (Dec. 2015 thru Aug. 2017) of groundwater sampling data for Well MW-8.
- As indicated, Groundwater Protection Standards are either published MCLs or risk-based Regional Screening Levels (RSLs). For constituents where calculated background exceeds either the MCL or RSL, the background value is used.

Table 3 Cheswick Generating Station Ash Disposal Site – Groundwater Analytical Data CCR Appendix III Constituents									
Monitoring Well	Date Sampled	Groundwater Elevation (ft. MSL)	Total Boron (mg/L)	Total Calcium (mg/L)	Total Chloride (mg/L)	Total Fluoride (mg/L)	Total Dissolved Solids (mg/L)	Sulfate (mg/L)	pH (S.U.)
			Calculated Background						
			0.05	141	137	0.1	738	69	6.21-6.98
MW-24 (Upgradient)	14-Oct-16	1075.54	< 0.05	126	85	< 0.1	534	58	6.53
	8-Dec-16	1077.22	< 0.05	125	83	< 0.1	478	52	6.38
	9-Jan-17	1077.24	< 0.05	126	90	< 0.1	738	59	6.57
	15-Feb-17	1078.30	< 0.05	134	60	< 0.1	516	52	6.65
	6-Mar-17	1077.65	< 0.05	125	61	< 0.1	496	48	6.52
	24-Apr-17	1077.71	< 0.05	127	51	< 0.1	516	46	6.62
	26-Jun-17	1077.59	< 0.05	118	49	< 0.1	522	45	6.82
	27-Jul-17	1077.21	< 0.05	116	57	< 0.1	544	49	6.59
	6-Oct-17	1073.21	< 0.05	122	47	< 0.1	508	47	6.61
	10-Jul-18	1077.46	< 0.05	125	24	0.1	514	46	6.68
	17-Oct-18	1077.33	< 0.05	119	31	< 0.1	522	37	6.92
	9-Apr-19	1076.98	< 0.05	128	16	0.1	482	29	6.89
	8-Aug-19	1077.07	< 0.05	133	15	0.1	482	31	6.91
	8-Oct-19	1076.97	< 0.05	119	21	0.1	474	33	7.01
	30-Jan-20	1078.27	< 0.05	136	14	0.2	486	31	6.91
MW-21 (Downgradient)	22-Jun-20	1076.58	< 0.05	115	16	0.2	474	30	6.58
	13-Oct-20	1075.11	< 0.05	105	22	0.1	470	45	6.71
	28-Dec-15	869.60	< 0.05	56.3	3	0.2	294	56	6.78
	9-Mar-16	866.25	0.06	61.3	2	0.2	278	55	7.92
	7-Jun-16	865.23	0.07	57.8	2	0.2	272	56	7.10
	9-Sep-16	865.35	< 0.05	59.3	2	0.2	296	48	7.16
	8-Dec-16	865.55	0.09	61.2	3	0.1	288	51	7.13
	16-Feb-17	867.05	0.07	62.1	3	0.2	272	53	7.17
	20-Apr-17	864.95	< 0.05	60.5	3	0.2	330	56	7.44
	26-Jun-17	864.23	< 0.05	57.9	3	0.1	296	60	7.42
	26-Jul-17	864.01	< 0.05	60.5	3	0.2	282	55	7.30
	6-Oct-17	863.37	< 0.05	60.4	3	0.2	274	53	6.80
	10-Jul-18	864.48	< 0.05	61.2	3	0.2	298	57	7.18
	17-Oct-18	865.19	< 0.05	65.7	3	0.2	300	57	7.67
	9-Apr-19	865.37	< 0.05	63.2	3	0.2	258	65	7.50
MW-22 (Downgradient)	7-Aug-19	865.33	< 0.05	65.7	2	0.2	284	63	7.47
	8-Oct-19	865.14	< 0.05	63.4	3	0.2	290	59	7.64
	30-Jan-20	865.95	< 0.05	64.3	2	0.2	280	58	7.73
	22-Jun-20	864.82	< 0.05	60.5	2	0.3	290	62	7.62
	13-Oct-20	863.43	< 0.05	57.1	3	0.2	292	56	7.58
	28-Dec-15	869.37	< 0.05	111	5	0.1	664	199	6.72
	9-Mar-16	865.46	0.07	95.2	4	0.1	506	148	7.14
	7-Jun-16	865.24	0.08	87.1	4	< 0.1	516	144	6.73
	9-Sep-16	864.88	< 0.05	86.8	5	0.4	600	146	6.28
	8-Dec-16	865.18	0.09	103	6	0.1	638	172	6.83
	16-Feb-17	865.85	0.16	96.3	8	0.1	616	183	6.86
	19-Apr-17	864.30	0.08	95.8	7	< 0.1	628	191	6.91
	26-Jun-17	864.01	0.07	89.6	7	< 0.1	622	186	7.15
	26-Jul-17	863.82	0.07	85.0	6	0.1	578	175	6.94
	6-Oct-17	863.52	0.05	86.1	7	0.1	594	169	6.62
MW-25 (Downgradient)	10-Jul-18	864.66	0.08	83.9	6	0.1	598	159	7.00
	17-Oct-18	865.32	0.10	88.6	7	0.2	646	182	7.10
	9-Apr-19	864.69	0.08	101	7	0.1	626	200	7.12
	7-Aug-19	864.61	0.08	112	6	< 0.1	692	233	6.97
	8-Oct-19	864.81	0.08	98	7	0.1	686	208	7.14
	30-Jan-20	864.79	< 0.05	106	7	0.2	676	219	7.15
	22-Jun-20	864.56	0.07	88	6	0.1	650	225	7.16
	13-Oct-20	862.96	0.09	77	6	0.2	604	173	7.17
	14-Oct-16	864.82	1.03	155	67	< 0.1	878	324	6.95
	8-Dec-16	865.17	1.51	128	27	< 0.1	670	268	6.86
	9-Jan-17	864.15	1.90	118	29	0.2	676	241	6.97
	16-Feb-17	866.37	4.11	199	65	0.1	916	420	7.16
	6-Mar-17	865.44	4.91	214	83	< 0.1	1080	469	6.97
	19-Apr-17	864.04	2.88	173	60	< 0.1	954	374	7.18
	26-Jun-17	863.79	2.48	134	27	< 0.1	702	242	7.13
	26-Jul-17	863.61	3.97	148	34	< 0.1	706	261	6.69
	6-Oct-17	863.11	3.63	158	48	< 0.1	802	236	6.60
	10-Jul-18	864.02	2.15	139	34	< 0.1	642	204	6.78
	17-Oct-18	864.59	< 0.05	122	31	0.1	508	38	7.22
	9-Apr-19	864.38	0.81	94.3	2	0.1	380	112	7.25
	7-Aug-19	864.29	1.36	116	23	< 0.1	500	155	7.11
	8-Oct-19	863.84	1.38	114	49	< 0.1	714	270	7.18
	30-Jan-20	864.99	0.20	102	2	0.4	356	94	7.76
	22-Jun-20	863.54	1.14	94	15	< 0.1	422	99	7.31
	13-Oct-20	862.68	1.54	145	56	< 0.1	690	219	7.07

Notes:

- Cells with "<" are represented as non-detects. Values shown correspond to the laboratory reporting limit.
- Background values based on statistical evaluation of initial eight rounds (Oct. 2016 thru July 2017) of groundwater sampling data for Well MW-24.

Table 4
Cheswick Generating Station
Ash Disposal Site – Groundwater Analytical Data
CCR Appendix IV Constituents

Monitoring Well	Date Sampled	Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Fluoride (mg/L)	Total Lead (mg/L)	Total Lithium (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Selenium (mg/L)	Total Thallium (mg/L)	Total Radium-226 and 228 (pCi/L)
		Calculated Background														
		0.001	0.001	0.14	0.001	0.002	0.01	0.005	0.1	0.001	0.01	0.0002	0.02	0.001	0.0002	12.9
		Groundwater Protection Standard														
		MCL	MCL	MCL	MCL	MCL	MCL	RSL	MCL	RSL	RSL	MCL	RSL	MCL	MCL	BACKGROUND
		0.006	0.01	2	0.004	0.005	0.1	0.006	4.0	0.015	0.04	0.002	0.10	0.05	0.002	12.9
MW-24 (Upgradient)	14-Oct-16	< 0.001	< 0.001	0.12	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.22
	8-Dec-16	< 0.001	< 0.001	0.12	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	-0.08
	9-Jan-17	< 0.001	< 0.001	0.12	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.03
	15-Feb-17	< 0.001	< 0.001	0.13	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.37
	6-Mar-17	< 0.001	< 0.001	0.12	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.28
	24-Apr-17	< 0.001	< 0.001	0.13	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	-0.31
	26-Jun-17	< 0.001	< 0.001	0.11	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.40
	27-Jul-17	< 0.001	< 0.001	0.11	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	1.71
	4-Apr-18	< 0.001	0.001	0.13	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.25
	10-Jul-18	Not Analyzed	0.001	0.13	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.53
	17-Oct-18	Not Analyzed	< 0.001	0.06	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.86
	9-Apr-19	< 0.001	0.001	0.13	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.62
	8-Aug-19	Not Analyzed	0.001	0.14	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.90
	8-Oct-19	Not Analyzed	0.001	0.13	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.40
	30-Jan-20	< 0.001	< 0.001	0.12	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.40
	22-Jun-20	Not Analyzed	Not Analyzed	0.10	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.14
	13-Oct-20	Not Analyzed	Not Analyzed	0.11	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.98
MW-21 (Downgradient)	28-Dec-15	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.21
	9-Mar-16	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	-0.25
	7-Jun-16	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.56
	9-Sep-16	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.40
	8-Dec-16	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	-0.04
	16-Feb-17	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	0.35
	20-Apr-17	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.37
	26-Jun-17	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.91
	26-Jul-17	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.74
	4-Apr-18	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	0.46
	10-Jul-18	Not Analyzed	< 0.001	0.05	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.003	Not Analyzed	-0.41
	17-Oct-18	Not Analyzed	< 0.001	0.06	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.002	Not Analyzed	1.77
	9-Apr-19	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.93
	7-Aug-19	Not Analyzed	< 0.001	0.06	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.001	Not Analyzed	1.75
	8-Oct-19	Not Analyzed	< 0.001	0.06	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.002	Not Analyzed	0.60
	30-Jan-20	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.83
	22-Jun-20	Not Analyzed	Not Analyzed	0.06	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.3	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	0.002	Not Analyzed	0.27
	13-Oct-20	Not Analyzed	Not Analyzed	0.05	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.002	Not Analyzed	0.47

Table 4
Cheswick Generating Station
Ash Disposal Site – Groundwater Analytical Data
CCR Appendix IV Constituents

Monitoring Well	Date Sampled	Total Antimony (mg/L)	Total Arsenic (mg/L)	Total Barium (mg/L)	Total Beryllium (mg/L)	Total Cadmium (mg/L)	Total Chromium (mg/L)	Total Cobalt (mg/L)	Total Fluoride (mg/L)	Total Lead (mg/L)	Total Lithium (mg/L)	Total Mercury (mg/L)	Total Molybdenum (mg/L)	Total Selenium (mg/L)	Total Thallium (mg/L)	Total Radium-226 and 228 (pCi/L)
		Calculated Background														
		0.001	0.001	0.14	0.001	0.002	0.01	0.005	0.1	0.001	0.01	0.0002	0.02	0.001	0.0002	12.9
		Groundwater Protection Standard														
		MCL	MCL	MCL	MCL	MCL	MCL	RSL	MCL	RSL	RSL	MCL	RSL	MCL	MCL	BACKGROUND
		0.006	0.01	2	0.004	0.005	0.1	0.006	4.0	0.015	0.04	0.002	0.10	0.05	0.002	12.9
MW-22 (Downgradient)	28-Dec-15	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	0.01	< 0.0002	< 0.02	0.002	< 0.0002	1.46
	9-Mar-16	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.54
	7-Jun-16	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.002	< 0.0002	0.31
	9-Sep-16	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.4	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	0.88
	8-Dec-16	< 0.001	0.003	0.07	< 0.001	< 0.002	< 0.01	< 0.005	0.1	0.006	0.01	< 0.0002	< 0.02	0.004	< 0.0002	0.14
	16-Feb-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	0.01	< 0.0002	< 0.02	0.004	< 0.0002	0.60
	19-Apr-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.004	< 0.0002	0.31
	26-Jun-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.004	< 0.0002	0.73
	26-Jul-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.004	< 0.0002	0.79
	4-Apr-18	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.003	< 0.0002	0.55
	10-Jul-18	Not Analyzed	< 0.001	0.02	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.005	Not Analyzed	2.26
	17-Oct-18	Not Analyzed	< 0.001	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.004	Not Analyzed	2.21
	9-Apr-19	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	< 0.01	< 0.0002	< 0.02	0.004	< 0.0002	1.42
	7-Aug-19	Not Analyzed	< 0.001	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.004	Not Analyzed	1.16
	8-Oct-19	Not Analyzed	< 0.001	0.03	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.004	Not Analyzed	0.18
	30-Jan-20	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	< 0.01	< 0.0002	< 0.02	0.005	< 0.0002	0.20
	22-Jun-20	Not Analyzed	Not Analyzed	0.02	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	0.004	Not Analyzed	0.60
	13-Oct-20	Not Analyzed	Not Analyzed	0.09	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.2	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.004	Not Analyzed	0.80
MW-25 (Downgradient)	14-Oct-16	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	0.02	< 0.0002	< 0.02	0.002	< 0.0002	0.55
	8-Dec-16	< 0.001	0.002	0.04	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	0.03	< 0.0002	< 0.02	< 0.001	< 0.0002	0.35
	9-Jan-17	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.2	< 0.001	0.03	< 0.0002	< 0.02	< 0.001	< 0.0002	1.00
	16-Feb-17	< 0.001	< 0.001	0.09	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	0.13	< 0.0002	0.27	0.006	< 0.0002	0.86
	6-Mar-17	< 0.001	< 0.001	0.08	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	0.14	< 0.0002	0.29	0.007	< 0.0002	-0.19
	19-Apr-17	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	0.04	< 0.0002	< 0.02	0.001	< 0.0002	0.76
	26-Jun-17	< 0.001	< 0.001	0.04	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	0.03	< 0.0002	< 0.02	< 0.001	< 0.0002	0.71
	26-Jul-17	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	< 0.1	< 0.001	0.04	< 0.0002	< 0.02	0.001	< 0.0002	0.33
	4-Apr-18	< 0.001	< 0.001	0.03	< 0.001	< 0.002	< 0.01	< 0.005	0.3	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.54
	10-Jul-18	Not Analyzed	< 0.001	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	1.31
	17-Oct-18	Not Analyzed	0.001	0.13	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.96
	9-Apr-19	< 0.001	< 0.001	0.05	< 0.001	< 0.002	< 0.01	< 0.005	0.1	< 0.001	0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	1.29
	7-Aug-19	Not Analyzed	< 0.001	0.07	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.85
	8-Oct-19	Not Analyzed	< 0.001	0.05	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.61
	30-Jan-20	< 0.001	< 0.001	0.06	< 0.001	< 0.002	< 0.01	< 0.005	0.4	< 0.001	< 0.01	< 0.0002	< 0.02	< 0.001	< 0.0002	0.62
	22-Jun-20	Not Analyzed	Not Analyzed	0.04	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	< 0.001	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.13
	13-Oct-20	Not Analyzed	Not Analyzed	0.05	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.1	Not Analyzed	Not Analyzed	Not Analyzed	Not Analyzed	< 0.001	Not Analyzed	0.36

Notes:


1. Cells with "<" are represented as non-detects. Values shown correspond to the laboratory reporting limit.

2. Background values based on statistical evaluation of initial eight rounds (Oct. 2016 thru July 2017) of groundwater sampling data for Well MW-24.

3. As indicated, Groundwater Protection Standards are either published MCLs or risk-based Regional Screening Levels (RSLs). For constituents where calculated background exceeds either the MCL or RSL, the background value is used.

Figures

OFFICE	DATE	DESIGNED BY	DRAWN BY	CHECKED BY	APPROVED BY	DRAWING NUMBER
Pittsburgh, PA	12/8/20	--	E. Schlegel	--	--	631015108-B1



- LEGEND:
- MW-10 (759.58) CCR GROUNDWATER MONITORING WELL WITH GROUNDWATER ELEVATION MEASURED ON OCTOBER 12, 2020
 - PZ-1 (762.47) OBSERVATION WELL (GROUNDWATER LEVELS ONLY) WITH GROUNDWATER ELEVATION MEASURED ON OCTOBER 12, 2020
 - GROUNDWATER FLOW DIRECTION



REFERENCE:
GOOGLE AERIAL PHOTOGRAPH, DATED 9/17/2019.



500 Penn Center Boulevard,
Suite 1000
Pittsburgh, Pennsylvania 15235



FIGURE 1
CCR COMPLIANCE GROUNDWATER
MONITORING WELL LOCATION MAP
BOTTOM ASH PONDS
CHESWICK GENERATING STATION
SPRINGDALE, ALLEGHENY COUNTY, PENNSYLVANIA

File: O:\PROJECT\110870\Genon - Cheswick Power Station\631015108\631015108-B2.dwg
Plot Date/Time: Dec 08, 2020 - 1:21pm
Plotted By: Evan.Schlegel

OFFICE	DATE	DESIGNED BY	DRAWN BY	CHECKED BY	APPROVED BY	DRAWING NUMBER
Pittsburgh, PA	12/8/20	--	E. Schlegel	--	--	631015108-B2



LEGEND:

- MW-25 (862.68) CCR GROUNDWATER MONITORING WELL WITH GROUNDWATER ELEVATION MEASURED ON OCTOBER 13, 2020
- GROUNDWATER FLOW DIRECTION



REFERENCES:

- GOOGLE AERIAL PHOTOGRAPH, DATED 9/17/2019.



500 Penn Center Boulevard,
Suite 1000
Pittsburgh, Pennsylvania 15235



FIGURE 2
CCR COMPLIANCE GROUNDWATER
MONITORING WELL LOCATION MAP
CHESWICK ASH DISPOSAL SITE
CHESWICK GENERATING STATION
SPRINGDALE, ALLEGHENY COUNTY, PENNSYLVANIA